



## Excellence Series Model D8



Floorstanding, 2½ way, closed box

Sensitivity: 93 dB/W/m Power: 30 - 180 watt Woofer: 2x8" paper cone

Tweeter: compression driver + horn

Crossover: 1,5 kHz Impedance: 8 ohm Floor coupling: spikes

Finish: black gloss, white gloss

Grill cloth: black, silver


Dimensions: 28 cm (L) x 99 cm (H) x 40 cm (W)



Design and technical perfection, a high efficiency monolith that fits perfectly to music rooms or cinemas of all sizes.

The horn keeps the perfect control of the dispersion at all frequencies, the closed box allows a clean reproduction even in the case of installation close to the wall.

The second woofer close to the floor strengthens the ultra-low frequencies maintaining this way a perfect reading of the music played.



# Excellence Series Model D8-C



Voice and appearance, technology and shape are joined in the same system.

The Model D8-C is a center channel designed for the cinema halls, able to give the right thickness and impact to the voices,

for both music and movies.

Voice channel, 2 way, closed box

Sensitivity: 94 dB/W/m Power: 30 – 180 watt Woofer: 2x8" paper cone

Tweeter: compression driver + horn

Crossover: 1,5 kHz Impedance: 6 ohm Floor Couplig: spikes

Finish: black gloss, white gloss

Grill cloth: black, silver Optional: dedicated stand

Dimensions: 98 cm (L) x 28 cm (H) x 39 cm (W)







### Excellence Series Model D6-S

Wall mounting, 2 way, closed box

Sensitivity: 2 x 90 dB/W/m

Power: 10 – 160 watt

Woofer: 2 x 6" paper cone Tweeter: 2 x horn tweeter

Crossover: 1,5 kHz Impedance: 2 x 8 ohm Wiring: bipolar/dipolar

Front panel: black gloss, white gloss, dark walnut, red cherry

Grill cloth: black, silver Body of speaker: black

**Dimensions:** 

57 cm (L) x 40 cm (H) x 24 cm (W)



The wall mounting speaker Model D6-S is composed of two systems with controlled dispersion emission.

The two systems emit with an angle of 120 degrees, determined thanks to extensive studies of psychoacoustics, and use the wall as acoustic screen.

This system is designed for a perfect sound diffusion in the environment that makes the speaker not locatable.

The great versatility of this speaker allows its use in 12 different modes, which are described in the manual.





